By Speed Post

# STATE ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY (SEIAA)-DELHI

OFFICE OF DELHI POLLUTION CONTROL COMMITTEE 5th Floor, ISBT Building, Kashmere Gate, Delhi-110006 visit us at: http://dpcc.delhigovt.nic.in

F.No.DPCC/SEIAA-III/C-353/DL/2018/ 6908 - 6919

Dated: 23/03/2018

Environmental Clearance No.: SEIAA-D/ C-353/EC-350/2018.

To, Young Builders (P) Ltd, 43, Babar Road, Bengali Market, New Delhi-110001

Sub: Environmental Clearance for "Group Housing Complex located at 1 and 3 Cavalry Lane and 4 Chhatra Marg at Civil Lines Delhi". By Young Builders (P) Ltd,

This has reference to your application submitted in Online Submission & Monitoring of Environmental Clearances (OSMEC) Portal of MoEF&CC, GOI vide Proposal No. SIA/DL/NCP/72616/2018 on 12.02.2018 under the head of fresh case requesting amendment of EC issued vide letter no DPCC/SEAC/50/SEIAA/1/2012 dated 13th August, 2012 for the project namely "Group Housing Complex located at 1 and 3 Cavalry Lane and 4 Chhatra Marg at Civil Lines Delhi By Young Builders (P) Ltd. and subsequent presentation given before the State Level Expert Appraisal Committee (SEAC). The proposal has been appraised in the meetings of SEAC as per procedure prescribed under the provisions of EIA Notification dated 14.09.2006 on the basis of the documents submitted with the application viz., Form-1, 1-A, conceptual plan, presentation given and the additional clarifications furnished in response to the observations of the State Level Expert Appraisal Committee.

# Details of the proposed project is as under:

The project is located at 28  $^{\rm O}$  41' 40" N latitude and 77 $^{\rm O}$  12' 50.50 "E longitude .

- 1. **Area detail:** The total plot area of the project is 20,000 sq.m.. Proposed total built-up area is 1,17,733.81sq.m. The permissible FAR is 40500 sq.m & total proposed FAR 40498.59 sq.m exclusive of EWS area. The maximum permissible ground coverage is 6,666 sq.m and the total ground coverage proposed will be 1881.6 sq.m. The total nos. of dwelling units will be 410 Nos inclusive of EWS units. The total numbers of Towers/Blocks are four. The total height of building will be 139.6 metre. The total number of floors will be S+G+37. The basement area 31,740.26 sq.m. The number of basements proposed are two.
- 2. Water details: Total water required for entire construction is 238 MLD. Total water requirement during operational phase will be 332 KLD with fresh water demand of 202 KLD. The source of water during operational phase will be Delhi Jal Board and water supply scheme has been approved by DJB vide letter dated 07.10.2015. The total waste water

m

generation will be 249 KLD which will be treated at on site STP of 275 KLD. The total treated water generated from STP will be 199 KLD out of which reuse of treated water in flushing 87 KLD, in Horticulture/ Gardening 43 KLD & rest will be utilized in sprinkling on road side plants. Numbers of RWH pits proposed are six.

- 3. Solid waste: About 840 Kg/day of total solid waste will be generated from the complex. Organic waste convertor is proposed for composting of bio-degradable waste.
- 4. Power: The total power requirement is 2808 KV and will be met from TPDDL.
- 5. Parking facility: ECS will be 854 Nos.
- 6. Eco-Sensitive areas: The shortest aerial distance of the project from Asola Wildlife Sanctuary is 21.5 Km & from Okhla Bird Sanctuary is 16 Km respectively.
- 7. **Plantation:** The total green area proposed is 6079.88 sqm. Number of trees at site will be 268 nos.
- 8. Cost of the project: The cost of the project as per earlier EC Rs. 321 Crores and proposed cost of the project 257.28 Crores.
- 9. Cost of EMP: Rs 54 lakhs, recurring cost 13.5 lakh/year.
- 10. CSR cost: Rs.96 lakhs: 2023(32 lakhs), 2024(32 lakhs), 2025(32 lakhs).
- 11. Manpower in Environmental Monitoring Team: 4 Nos.

The requirements of the project have been taken into account by SEAC during the appraisal of project. The SEIAA took account of the discussions and environmental conditions imposed during the consideration of the project in the SEAC meetings held on 24.02.2018 &13.03.2018. It has been observed that the project proponent has applied for amendment in EC under the head of fresh case on OSMEC portal and construction has not been started wrt earlier EC letter no DPCC/SEAC/50/SEIAA/1/2012 dated 13th August, 2012. Therefore present proposal is considered as a fresh case and earlier EC issued vide letter no DPCC/SEAC/50/SEIAA/1/2012 dated 13th August, 2012 is to be withdrawn and treated as null and void. With respect to the present application, based on the information furnished, documents shown & submitted, presentation made by the project proponent and appraisal done by committee, SEAC recommended the case to SEIAA for grant of Environmental Clearance imposing the specific conditions.

The SEIAA in its 57<sup>th</sup> meeting held on 22.03.2018 approved the recommendations of SEAC that earlier EC issued vide letter no DPCC/SEAC/50/SEIAA/1/2012 dated 13th August, 2012 be withdrawn and treated as null and void and granted fresh Environmental Clearance to the project as per provisions of Environment Impact Assessment Notification, 2006 and its subsequent amendments, subject to the strict compliance of the terms and conditions as follows:

## PART A - SPECIFIC CONDITIONS:

#### I. PRE-CONSTRUCTION PHASE

- 1. The Project Proponent shall obtain all other necessary requisite clearances/ permissions from concerned authorities/ agencies before commencement of work.
- 2. The Project Proponent shall obtain water assurance form New Delhi Municipal Council/Delhi Jal Board / Authorised source for the proposed development work. It must be obtained before starting the construction.
- 3. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- 4. A first aid room to be provided in the project both during construction and operation phase of the project.

Per-

5. The Approval of competent authority shall be obtained for structural safety of the building due to earthquake, adequacy for fire fighting equipment etc. as per National Building Code including protection measures from lightening etc.

6. All required sanitary and hygienic measures should be in place before starting construction activities

and to be maintained throughout the construction phase.

7. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after completion of the project.

#### **II. CONSTRUCTION PHASE:**

- 1. The Project Proponent shall ensure that the guidelines issued by Ministry of Environment, Forests & Climate Change (MoEF&CC), vide OM No. 19-2/2013-IA.III dated 09.06.2015, to be followed for building and construction projects to ensure sustainable environmental management in pursuance of Notification No. 3252 (E) dated 22. 12.2014 under the EIA Notification, 2006, as applicable, are followed in this project.
- 2. During the construction Phase for control of dust pollution all precautionary measure should be ensured in compliance of Hon'ble National Green Tribunal order dated 4.12.2014 & 10.04.2015 in O.A. No.21 of 2014 and O.A. No. 95 of 2014 in the matter of Vardhaman Kaushik Vs. Union of India & others and Sanjay Kulshreshtha Vs Union of India &ors.
- 3. The Project Proponent shall ensure that the guidelines issued, regarding dust mitigation measures for construction and demolition activities for projects requiring Environmental Clearence, by Ministry of Environment, Forests & Climate Change (MoEF&CC), vide Notification No. G.S.R.94(E) dated 25.01.2018, are to be followed.
- 4. All the top soil excavated during construction activities should be stored for horticulture/landscape development within the project site.
- 5. Disposal of muck during construction phase should not create any adverse effect on the neighbouring communities and be disposed off after taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority. The Rules on the Solid Waste Management including Construction waste issued by MoEF&CC as amended will be applicable.
- 6. Construction spoils, including bituminous material and other hazardous materials, must not be allowed to contaminate watercourses and the dump sites for such material must be secured so that they should not leach into the ground water.

7. Any hazardous waste generated during construction and operation phase should be disposed off as per applicable rules and norms with necessary approvals to the Delhi Pollution Control Committee.

- 8. Vehicles hired for bringing construction material to the site and other machinery to be used during construction should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours. The material loaded or unloaded should be covered (especially sand, excavated soil) before transportation to avoid fugitive emissions etc.
- 9. Techniques like, air extraction equipment, and covering scaffolding, hosing down road surfaces, reducing the speed of vehicle, use of covering sheets for vehicles carrying construction materials and cleaning of vehicles to reduce dust and vapour emissions. Measures should include appropriate containment around bulk storage tanks and materials stores to prevent spillages entering watercourses.
- 10. The Diesel Generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environment Protection Rules prescribed for air and noise emission standards.
- 11. The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from Chief Controller of Explosives shall be taken.

Barl

- 12. Ambient noise levels should conform to prescribed standards both during day and night. Adequate measures should be made to reduce ambient air and noise level during construction and operation phase, so as to conform to the norms stipulated by CPCB/DPCC. Ambient air and noise monitoring should be done by an accredited lab and data should also be submitted, on six monthly bases, with DPCC& Regional Office of MoEF&CC. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase.
- 13. Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September, 1999 and amended to date.
- 14. Ready Mix Concrete must be used in building construction.
- 15. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices preferred.
- 16. Proponent shall obtain prior permission for ground water withdrawal from Delhi Jan Board, in compliance of notification dated 12.07.2010.
- 17. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- 18. Construction/provision of the Utilities, earmarked by the project proponent on the layout plan, should be made in the earmarked area only. In any case the position/location of these utilities should not be changed later-on.
- 19. Health and safety norms of CPWD should be followed during construction.
- 20. Soil and water samples of the site should be tested by the proponent through DPCC recognized laboratory to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants, on quarterly basis for inclusion in the six monthly reports.
- 21. Adequate steps shall be taken to conserve energy by limiting the use of glass up-to 40% to reduce the electricity consumption and load on air-conditioning. If necessary, use high quality double glass with special reflective coating in windows, provision of proper thermal insulation and taking measures as prescribed under the Energy Conservation Building Code.
- 22. Energy Conservation Building Code to be strictly adopted in all aspects of building design and construction.
- Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to all surroundings.

## III. OPERATION PHASE

- 1. The Zero wastewater discharge condition to be achieved with installation of on-site Sewage Treatment Plant &treated affluent shall conform to the norms and standards prescribed by Delhi Pollution Control Committee. The STP should be certified by an independent expert and adequacy report in this regard should be submitted to Delhi Pollution Control Committee & State Level Environment Impact Assessment Authority before the project is commissioned for operation. Necessary measures should be made to mitigate the odour problem from STP.
- 2. The project proponent shall provide electromagnetic flow meter at the inlet &outlet of the water supply, Inlet & outlet of the STP and any pipeline to be used for re-using the treated wastewater back into the system for cooling, flushing and for horticulture purpose/green etc. and shall maintain a record of readings of each such meter on daily basis.
- 3. The quantity of fresh water usage and water recycling shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Delhi Pollution Control Committee, State Level Environment Impact Assessment Authority & Regional Office MoEF&CC along with six monthly Monitoring reports.
- 4. The treated wastewater of shall be recycled and reused for Cooling, flushing & for Horticulture/landscape purposes to reduce the demand of fresh water as committed.

Pors

- 5. The Operation and Maintenance of STP shall be made in the MoU with STP supplier. Project Proponent shall ensure regular operation and maintenance of the STP.
- 6. Rain water harvesting, as per plan submitted, for roof top run-off and surface run-off should be implemented. Before recharging the surface run-off, pre-treatment must be done to remove suspended matter, oil and grease. The depth of the bore for rainwater recharging should be kept in consultation with DJB/CGWA. No wastewater (such as sewage, trade effluent, backwash of treatment unit, floor washing wastewater etc) should be discharged into the rainwater harvesting structure in order to avoid groundwater contamination.
- 7. The ground water drawl from existing/proposed bore well during construction and operation phase should be done only with the prior permission of DJB. The ground water level and its quality should also be monitored regularly.
- 8. Construction/provision of the Utilities, earmarked by the project proponent on the layout plan, should be made in the earmarked area only. In any case the position/location of these utilities should not be changed later-on.
- 9. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control and for water conservation.
- 10. Separation of grey and black water should be done by the use of dual plumbing line. Treatment of 100% grey water by decentralized treatment should be done.
- 11. All the pipelines carrying water/ waste water should be distinguished using colour coding on raw & potable water pipes, grey water, black water, reuse lines of treated water for flushing, cooling & Horticulture etc.
- 12. Utilization of Diesel power generating sets is subject to power failure condition only. The DG sets proposed as a source of power back up during operation phase should be of enclosed type, low sulphur diesel run and conform to rules made under the Environment (Protection) Act, 1986. The DG sets should be subjected to periodic noise and stack monitoring. Waste/used diesel should be stored and managed as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.
- 13. Noise should be controlled to ensure that it does not exceed the prescribed standards. During night time the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
- 14. Energy Conservation measures such as solar lighting for common areas, solar water heating system, LEDs for lighting of areas, signage, solar inverters etc. should be adopted.
- 15. Used CFLs/ LEDs should be properly collected and disposed off/ sent for recycling as per the prevailing guidelines/rules of the regulatory authority.
- 16. A Report on energy conservation measures conforming to energy conservation norms finalized by Bureau of energy Efficiency should be prepared incorporating details about building materials and technology, R & U factors etc and submit a copy to Ministry of Environment & Forests, Regional Office, Lucknow and DPCC in three months time with intimation to SEIAA.
- 17. Thick green belt of the adequate width and density with local species, as per plan submitted, shall be raised along the periphery of the plot so as to provide protection against particulates and noise. The open spaces inside the plot should be suitably landscaped and covered with vegetation of indigenous species/variety.
- 18. Traffic congestion near the entry and exit points from the roads adjoining the project site must be avoided. Parking should be fully internalized and no public space should be utilized.

### IV.ENTIRE LIFE:

- 1. The project proponent will be responsible for the operation, maintenance and implementation of environmental safeguards for the project.
- 2. Environmental Management Cell shall remain functional to supervise and monitor the environment related aspects of the project.
- 3. The project proponent shall operate and maintain the installed Sewage Treatment Plant to achieve the Zero wastewater discharge condition &treated affluent shall conform to the norms and standards prescribed by Delhi Pollution Control Committee.
- 4. The project proponent shall properly maintain the installed electromagnetic flow meters and the quantity of fresh water usage and water recycling shall be measured and recorded to monitor the water balance. The record shall be submitted to the Delhi Pollution Control Committee, State Level Environment Impact Assessment Authority & Regional Office, MoEF& CC along with six monthly Monitoring reports.
- 5. The ground water drawl from existing/proposed bore well should be done only with the prior permission of DJB.
- 6. Rainwater harvesting system shall be properly maintained and kept functional and periodical cleaning of the same shall be undertaken specifically including the period before onset of the monsoon.
- 7. Incremental pollution loads on the ambient air quality, noise, stack and water quality should be periodically monitored.
- 8. Thick green belt of the adequate width and density with local species, as per plan submitted, shall be maintained.
- 9. Traffic congestion near the entry and exit points from the roads adjoining the project site must be avoided. Parking should be fully internalized and no public space should be utilized.

## V. OTHER SPECIFIC CONDITIONS:

- 1. Chhatra marg should be used for pedestrian and non-motorized vehicle or only in case of emergency with restricted motorised vehicles.
- 2. Treated water of DJB STP should be used for construction purposes up to the maximum extent possible.
- 3. Packaged/ mobile STP shall be provided for labour camp during construction phase.
- 4. Ground water should be extracted only after the permission from DJB.
- 5. Boring for Rain Water Harvesting system should not be permitted/ done before completion of structure work. All recharge should be limited to shallow aquifer.
- 6. STP should be adequate to treat the waste water so that BOD level should not exceed 10 mg/l in treated water.
- 7. Flow Meters should be installed to monitor consumption of fresh water as well as treated water and log book for these flow meters be maintained in a regular manner. Flow meters shall be installed at Inlet of STP, outlet of STP, inlet of flushing tanks, inlet of cooling water tanks and reuse line for horticulture purposes.
- 8. The project proponent, before starting the construction, will reconfirm the nonexistence of any water body in and around (within 500m) the project site. It will be ensured that water

9

body/bodies( identified as per guidelines MPD 2021) in and around the project suite shall not be affected due to proposed development work.

9. Minimum 1 tree for every 80 Sq. Mt of plot area should be planted within the project site in

accordance with the landscape plan submitted.

10. Solar Photovoltaic (SPV) system should be installed to meet electricity generation equivalent to 1 % of demand load or as per the state level/local building bye-laws, whichever is higher. Solar water heating shall be provided to meet its hot water demand as far as possible.

11. Only LEDs should be used.

12. Green building norms should be followed with a minimum 3 star GRIHA rating and Gold rating should be followed up.

13. Total capacity of DG sets should not exceed 50% of the total load.

- 14. Construction & Demolition waste should be disposed of at authorized C&D waste processing unit.
- 15. Wind- breaker of appropriate height i.e.  $1/3^{\rm rd}$  of the building height and maximum upto 10 metres shall be provided all around the project site before the start of construction.
- 16. During the Construction Phase for control of dust pollution all precautionary measure should be ensured in compliance of Hon'ble National Green Tribunal order dated 4.12.2014 & 10.04.2015 in O.A. No.21 of 2014 and O.A. No. 95 of 2014 in the matter of Vardhaman Kaushik Vs. Union of India & others and Sanjay Kulshreshtha Vs Union of India & ors and as per MoEf&CC, GOI Notification no. G.S.R.94(E) dated 25.01.2018 regarding mandatory implementation of dust mitigation measures for construction and demolition activities.

17. Project proponent shall be responsible for establishment, operation and maintenance of all common facilities and also for compliance of EC conditions during operation stage.

18. In view of MoEF&CC Office Memorandum No. 21-270/2008-IA.III dated 19.06.2013 read with MoEF&CC Office Memorandum No. 22-154/2015-IA.III dated 10.11.2015, this environmental clearance is granted focusing only on the environment concerns. The project will be regulated by the concerned local Civic Authorities under the provisions of the relevant provisions of the extant MPD-2021, Building Control Regulations and Safety Regulations.

19. The Project Proponent shall obtain water assurance form NDMC/Delhi Jal Board / authorized source during construction / operation phase for the proposed development work. It must be

obtained before starting the construction.

20. The Environmental Clearance is subject to the condition that concerned local civic agencies will give the permission for use/occupation of the building only after the written assurance of DJB/ New Delhi Municipal Council / other such local civic authority (as the case may be) regarding supply of adequate water for the residents/ occupiers.

21. Grant of environmental clearance does not necessarily implies that water/ power supply shall be granted to the project and that their proposals for water/ power supply shall be considered by the

respective authorities on their merits and decision taking.

- 22. The investment made in the project, if any, based on environmental clearance so granted, in anticipation of the clearance from water/ power supply angle shall be entirely at the cost and risk of the project proponent and SEAC/SEIAA, Delhi shall not be responsible in this regard in any manner.
- 23. Green area should not be less than 25 % of the plot area out of which minimum 15 % should be of soft green area, so that there should be sufficient recharging of ground water. Further along boundary wall, minimum of soft green space of 2m width be kept for better tree growth & ground water recharge, based on area of 6' x 6' / tree being a norm.

- 24. Adequate ventilation should be provided in the basements and during the operation phase the concentration levels of Carbon dioxide, Carbon Monoxide should be monitored periodically and also be reported in periodical compliance reports to be submitted. NOx, SOx and PM are also be maintained in basement as per EPA norms.
- 25. About 202 KLD of fresh water for operational phase will be met by DJB, hence this project will increase the demand of fresh water from DJB by 202 KLD.
- 26. Sign board be placed at project site indicating the Khasra No. of the land as per revenue record.

### **PART B - GENERAL CONDITIONS:**

- 1. The project proponent should prominently advertise in at least two local Newspapers widely circulated in the region indicating that the project has been accorded Environmental Clearance and copy of clearance is available with the DPCC and may also be seen on the website of DPCC at <a href="http://www.dpcc.delhigovt@nic.in">http://www.dpcc.delhigovt@nic.in</a>. The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same should be forwarded to the Regional Office of MoEF&CC and SEIAA-Delhi.
- 2. The project proponent should submit copy of Environmental Clearance to the Heads of Local bodies, Panchayats and Municipal bodies in addition to relevant offices of Government who in turn has to display the same for 30 days from the date of receipt. The clearance letter shall also be put on the website of the Company by the proponent.
- 3. The environmental safeguards and monitoring schedule as contained in the EMP should be implemented in letter and spirit & there will be no departure from the final project proposal as approval herein.
- 4. Corporate Social Responsibility should be carried out as per action plan/ budget submitted.
- 5. The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year-wise expenditure shall be reported to SEIAA and its concerned Regional Office of MoEFCC.
- 6. Officials from Regional Office, Ministry of Environment, Forests& Climate Change, Govt. of India/State Level Environment Impact Assessment Authority / Delhi Pollution Control Committee, who would be monitoring the implementation of environmental safeguards, should be given full cooperation, facilities and documents/data on site by the project proponents during their site inspection.
- 7. A complete set of all the documents submitted to SEAC should be forwarded to Regional Office, Ministry of Environment, Forests & Climate Change, Govt. of India and Delhi Pollution Control Committee.
- 8. In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by the SEAC and approval of SEIAA.
- 9. The project proponent shall comply with the notifications and court orders issued time to time regarding use, sale and storage of all kinds of plastic bags.
- 10. E-waste generated in the complex should be managed as per E-Waste (Management) Rules, 2016.
- 11. Hazardous waste should be disposed off as per Rules applicable.
- 12. The solid waste (dry as well as wet garbage) generated should be properly collected and segregated before disposal to Municipal Authorities in accordance with the Solid Waste Management Rules, 2016. No municipal waste should be disposed off outside the premises. Adequate measures should be taken to prevent odour problem.
- 13. State Environmental Impact Assessment Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including the revoking of the environmental clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.

MM

14. Environmental clearance is subject to final order of the Hon'ble Supreme Court of India in the matter of Goa Foundation Vs. Union of India in Writ Petition (Civil) No. 460 of 2004 as may be applicable to this project and decisions of any Competent Court, to the extent applicable.

15. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department etc. shall be obtained, as applicable by project

proponents from the respective competent authorities.

16. These stipulations would be enforced among others under the provisions of Water (Prevention and Control) Pollution Act, 1974, the Air (Prevention and Control) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.

17. Status of compliance to the various stipulated environmental conditions and environmental safeguards

will be uploaded by the project proponent in its website.

18. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard & soft copies) to Regional Office, Ministry of Environment, Forests & Climate Change, Govt. of India, SEIAA-Delhi and Delhi Pollution Control Committee.

19. This environmental clearance will be valid for a period of Seven years from the date of its issue.

20. It will be the responsibility of the project proponent to obtain prior clearances/approval & ensure compliances under all other relevant Acts/ Rules/ Regulations/ guidelines/ instructions/Court Orders/Tribunal Orders as applicable to this project before starting of the project.

21. Any appeal against this clearance shall lie with the National Green Tribunal, if preferred, within a

period of 30 days as prescribed under Section 16of the National Green Tribunal Act, 2010.

(Dr.B.C.Sabata)3/3/8 Member Secretary SEIAA-Delhi

#### Copy to:

- 1. Sh. Krishan Mohan Sahni, Chairman, State Level Environment Impact Assessment Authority-Delhi, 38, Pocket-2, JasolaVihar, New Delhi.
- 2. The Secretary(Environment)-cum-Chairman(DPCC), Department of Environment, Govt. of NCT Delhi, Secretariat Building, 6<sup>th</sup> Level, C-Wing, I.P. Estate, New Delhi-02.
- 3. The Vice Chairman, DDA, VikasSadan, INA, New Delhi.
- 4. The Commissioner (Planning), DDA, VikasMinar, IP Estate, New Delhi-110002.
- 5. The Chief Executive Officer (CEO), Delhi Jal Board, Varunalaya, Jhandewalan, New Delhi.
- 6. The Commissioner, North Delhi Municipal Corporation, 4<sup>th</sup> floor, Dr. S.P.M. Civic Centre, JLN Marg, New Delhi-110002.
- 7. The Deputy Commissioner of Police, North District, M.G.Road, civil Lines, Delhi, 110054.

- The Director, Fire Services, 101, Kashmire Market, Connaught Place, New Delhi, Delhi 110001 8.
- The Additional Principal Chief Conservator of Forests (C), Regional Office (Central), Ministry of 9. Environment, Forests& Climate Change, Govt. of India, KendriyaBhawan, 5th Floor, Sector-H, Aliganj, Lucknow-226024, Uttar Pradesh.
- The Director, Impact Assessment Division, Monitoring Cell, Ministry of Environment, Forests & 10. Climate Change, Govt. of India, Indira ParyavaranBhawan, Jorbagh, New Delhi-110003.
- The Member Secretary, Central Ground Water Authority, 18/11, Jamnagar House, Mansingh Road, New · 11. Delhi-110011.

(Dr.B.C.Sabata) **Member Secretary** 

SEIAA-Delhi